

MATRICES

1. If $A = \begin{pmatrix} 4 & 3 \\ -2 & 1 \end{pmatrix}$ then $|A| = \underline{\hspace{2cm}}$ (March 09)
2. If $\begin{pmatrix} 4 & -3 \\ 2 & 32 \end{pmatrix} = \begin{pmatrix} 4 & -3 \\ 2 & 2^t \end{pmatrix}$ then $t = \underline{\hspace{2cm}}$
3. If $\begin{pmatrix} x & 3 \\ 1 & 2 \end{pmatrix} \begin{pmatrix} 2 \\ -1 \end{pmatrix} = \begin{pmatrix} 5 \\ 0 \end{pmatrix}$ then the value of 'x' is $\underline{\hspace{2cm}}$
4. $\begin{vmatrix} \tan \theta & \sec \theta \\ \sec \theta & \tan \theta \end{vmatrix} = \underline{\hspace{2cm}}$
5. If $|A| = 0$ then the matrix has $\underline{\hspace{2cm}}$
6. The mathematician who introduced matrices is $\underline{\hspace{2cm}}$ (June 2006)
7. A, B are two matrices $(AB)^T = \underline{\hspace{2cm}}$
8. The condition to multiply two matrices A, B is $\underline{\hspace{2cm}}$
9. $M \times \begin{pmatrix} 2 & 3 \\ 0 & 1 \end{pmatrix} = (6 \ 10)$ then order of M = $\underline{\hspace{2cm}}$
10. If $A = \begin{pmatrix} x & 3 \\ 3 & x \end{pmatrix}$ has no multiplicative inverse then $x = \underline{\hspace{2cm}}$
11. If the transpose of a given matrix is equal to its additive inverse, then the matrix is called $\underline{\hspace{2cm}}$
12. Matrix obtained by interchanging rows and columns is called $\underline{\hspace{2cm}}$ (March 2009)
13. If the rows and columns of a matrix are same, then it is called $\underline{\hspace{2cm}}$ (March 09)
14. If $\begin{pmatrix} a & 5 \\ 8 & b \end{pmatrix} - \begin{pmatrix} 4 & 6 \\ 7 & 2 \end{pmatrix} = \begin{pmatrix} 2 & -1 \\ 1 & 5 \end{pmatrix}$ then a and b are $\underline{\hspace{2cm}}$
15. If $\begin{pmatrix} 1 & 3 \\ 0 & 1 \end{pmatrix} \begin{pmatrix} 2 \\ -1 \end{pmatrix} = \begin{pmatrix} x \\ -1 \end{pmatrix}$ then $x = \underline{\hspace{2cm}}$
16. If $\begin{vmatrix} 2 & -4 \\ d & 5 \end{vmatrix} = 14$ then $d = \underline{\hspace{2cm}}$
17. $A = \begin{pmatrix} 1 & 2 & 3 \\ 3 & 0 & 1 \end{pmatrix}_{2 \times 3}$; $B = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}_{2 \times 2}$
then $AB = \underline{\hspace{2cm}}$
18. If $P = \begin{pmatrix} 3 & 0 \\ 0 & \lambda \end{pmatrix}$ is to be scalar matrix then $\lambda = \underline{\hspace{2cm}}$
19. If A and B are two matrices then $(AB)^{-1} = \underline{\hspace{2cm}}$
20. If $A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ and $ad = bc$ then A is $\underline{\hspace{2cm}}$ matrix
21. If $A = \begin{pmatrix} 1 & -2 \\ -3 & 4 \end{pmatrix}$ and $AD = A$ then D is $\underline{\hspace{2cm}}$ Matrix
22. If $A_{2 \times 3}$, $B_{3 \times 2}$ then the order of $A \times B$ is $\underline{\hspace{2cm}}$
23. If $AB = KI$, where $K \in R$, then $A^{-1} = \underline{\hspace{2cm}}$
24. If A is a matrix then $(A^T)^T = \underline{\hspace{2cm}}$
25. If $\begin{pmatrix} a & b \\ c & d \end{pmatrix} = \begin{pmatrix} 1 & 2 \\ 3 & -1 \end{pmatrix}$ then $a+b+c+d = \underline{\hspace{2cm}}$ (June 2005)
26. The order of A is 3×2 then the order of A^T is $\underline{\hspace{2cm}}$
27. $\begin{pmatrix} 4 & 0 & 0 \\ 0 & 4 & 0 \\ 0 & 0 & 4 \end{pmatrix}$ is example of $\underline{\hspace{2cm}}$
28. $\begin{pmatrix} 2 \\ 3 \\ 4 \end{pmatrix}_{3 \times 1} (1 \ 2 \ 3)_{1 \times 3} = \underline{\hspace{2cm}}$
29. If A is matrix then $A.A^{-1} = A^{-1}.A = \underline{\hspace{2cm}}$
30. Number of rows in a Row matrix $\underline{\hspace{2cm}}$
31. The order of A and B are 3×4 and 5×3 then the order of BA is $\underline{\hspace{2cm}}$
32. If A is 2×2 matrix such that $A = A^{-1}$ then $A^2 = \underline{\hspace{2cm}}$ (June 2009)
33. A is any 2×2 matrix. if $B = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ then $AB = \underline{\hspace{2cm}}$ (June 2009)
34. The Inverse of an identity matrix is $\underline{\hspace{2cm}}$ (March 2009)
35. If $A = \begin{pmatrix} 1 & 4 \\ 0 & -1 \end{pmatrix}$ then $A^{-1} = \underline{\hspace{2cm}}$ (March 08)

36. If $\begin{pmatrix} x+y & x-y \\ 2x+3y & 2x-3y \end{pmatrix} = \begin{pmatrix} 2 & 0 \\ 5 & -1 \end{pmatrix}$ then $x =$ _____ (March 2008)

37. In a Matrix $\begin{pmatrix} 1 & 8 & 4 \\ 2 & 3 & 0 \\ 5 & 7 & -4 \end{pmatrix}$ the element in 2nd row and 3rd column is _____ (June 07)

38. $A = \begin{pmatrix} x \\ y \end{pmatrix}_{2 \times 1}$, $B = (5 \ 2)_{1 \times 2}$, then $AB =$ _____ (June 2007)

39. While solving the equations $3x+4y = 8$ and $x - 6y = 10$ by Cramer's method then the matrix $B_1 =$ _____

40. The determinant of a singular matrix is _____

41. If $A = \begin{pmatrix} 5 & 7 \\ 0 & 8 \end{pmatrix}$ and $A+B = A$ then B is _____ matrix

42. If $P = \begin{pmatrix} 4 & -5 \\ 7 & -6 \end{pmatrix}$ and $P+R=I$ then $R =$ _____

43. If $A = \begin{pmatrix} 1 & 2 \\ 3 & 4 \end{pmatrix}$, $B = \begin{pmatrix} 2 & 4 \\ 3 & 5 \end{pmatrix}$ and $A-B+X=0$ then the Matrix X is _____

44. In a Matrix the number of rows are not equal to number of columns then the matrix is _____

45. A square matrix in which each of the principal diagonal elements are equal to one and all other elements are zero is called a _____ matrix

46. If the transpose of a given matrix is equal to its additive inverse that matrix is called _____

KEY

1. 10
2. 5
3. 4
4. -1
5. has no multiplicative inverse
6. Author Cayley
7. $B^T \cdot A^T$
8. No. of Columns in A = Rows in B
9. (1×2)
10. ± 3
11. Skew symmetric
12. Transpose of matrix
13. Square matrix
14. 6, 7
15. -1
16. 1
17. is not defined
18. 3
19. $B^{-1} \cdot A^{-1}$
20. Singular matrix
21. Identity matrix
22. 2×2
23. $\frac{1}{K} \cdot B$
24. A
25. 5
26. 2×3
27. 3×3 scalar matrix

28. $\begin{pmatrix} 2 & 4 & 6 \\ 3 & 6 & 9 \\ 4 & 8 & 12 \end{pmatrix}$

29. I
30. 1
31. 5×4
32. I
33. A
34. also identity matrix

35. $\begin{pmatrix} 1 & 4 \\ 0 & -1 \end{pmatrix}$ (or) A

36. 1

37. 0

38. $\begin{pmatrix} 5x & 2x \\ 5y & 2y \end{pmatrix}$

39. $\begin{pmatrix} 8 & 4 \\ 10 & -6 \end{pmatrix}$

40. zero

41. null

42. $\begin{pmatrix} -3 & 5 \\ -7 & 7 \end{pmatrix}$ 43. $\begin{pmatrix} 1 & 2 \\ 0 & 1 \end{pmatrix}$

44. Rectangle matrix

45. Identity matrix

46. Skew symmetric matrix

Important Questions

4 Marks

1. If $A = \begin{pmatrix} -2 & 1 \\ 3 & -1 \end{pmatrix}$, $B = \begin{pmatrix} 2 & 0 \\ 5 & -3 \end{pmatrix}$?

find 1) A^{-1} 2) B^{-1} 3) $(AB)^{-1}$ 4) $B^{-1}A^{-1}$?

2. Solve the following linear system of equations using cramer's method $4x - y = 16$ and $\frac{3x - 7}{2} = y$?

3. Solve the following equations by using Matrix inversion method $x = \frac{7 - 3y}{2}$ and $y = 13 - 6x$?

4. If $A = \begin{pmatrix} a & b \\ c & d \end{pmatrix}$ and $I = \begin{pmatrix} 1 & 0 \\ 0 & 1 \end{pmatrix}$ show that $A^2 - (a+d)A = (bc - ad)I$?

5. If $A = \begin{pmatrix} 2 & 4 \\ 3 & 6 \end{pmatrix}$, $B = \begin{pmatrix} -2 & 5 \\ 6 & 1 \end{pmatrix}$, $C = \begin{pmatrix} 1 & 2 \\ 3 & 0 \end{pmatrix}$. Show that $A(B+C) = AB+AC$?

2 Marks

1. If $M \times \begin{pmatrix} 1 & 2 \\ 0 & 5 \end{pmatrix} = \begin{pmatrix} 2 & 3 \end{pmatrix}$ find the order of M and determine the Matrix 'M'?

2. If $A = \begin{pmatrix} 1 & 4 \\ 0 & -1 \end{pmatrix}$; $B = \begin{pmatrix} 2 & m \\ 0 & \frac{-1}{2} \end{pmatrix}$ find 'm' if $AB=BA$?

3. If $A = \begin{pmatrix} 1 & 2 \\ 1 & 3 \end{pmatrix}$; $B = \begin{pmatrix} 2 & 0 \\ 5 & -3 \end{pmatrix}$ find the Matrix $B+A^{-1}$?

4. If $\begin{pmatrix} 3x+2y & 6 \\ 2 & 2x-3y \end{pmatrix} = \begin{pmatrix} 5 & 6 \\ 2 & -1 \end{pmatrix}$ find x,y?

5. If $A = \begin{pmatrix} 1 & 4 \\ 2 & 1 \end{pmatrix}$; $B = \begin{pmatrix} -3 & 2 \\ 4 & 0 \end{pmatrix}$; $C = \begin{pmatrix} 1 & 0 \\ 0 & 2 \end{pmatrix}$ find $A^2 + BC$?

1 Mark

1. If $A = \begin{pmatrix} 1 & 3 \\ 5 & 6 \end{pmatrix}$ find the value of $A+A^T$?

2. If $A = \begin{pmatrix} 2 & 4 \\ -6 & 5 \end{pmatrix}$, $B = \begin{pmatrix} 4 & -3 \\ 5 & 7 \end{pmatrix}$ find $3A-2B$?

3. If $A = \begin{pmatrix} 1 & 2 \\ 1 & 3 \end{pmatrix}$ find $A+A^{-1} = 4I$?

4. $\begin{vmatrix} d-2 & 5 \\ -4 & 2 \end{vmatrix} = 0$ find 'd'?

5. If $A = \begin{pmatrix} 2 & -3 \\ 1 & 5 \end{pmatrix}$ find A^{-1} ?

6. Define Non-singular Matrix

7. If $A = \begin{pmatrix} 1 & 0 \\ 0 & 0 \end{pmatrix}$ and $B = \begin{pmatrix} 0 & 0 \\ 0 & 1 \end{pmatrix}$ then Find AB?